

INDEX MAPS.

T. 3N, R. 4E. 2nd Mer.

	235-237	235-237	236-237	236-237	236-237	236						
239	6	263	5	257	4	253	3	248	2	243	1	235
	263		260		257		252		248		243	
239	7	262	8	256	9	252	10	247	11	243	12	234
	262		261		256		252		246		242	
239	18	261	17	256	16	251	15	246	14	242	13	234
	261		260		255		251		246		242	
238	19	260	20	255	21	250	22	246	23	241	24	234
	260		259		254		250		245		241	
238	30	259	29	254	28	249	27	245	26	240	25	233
	258		258		253		249		244		240	
238	31	258	32	253	33	249	34	244	35	240	36	233
	231-233	231-233	231-232	231-232	231-232	231-232	232					

T. 4N, R. 4E. 2nd Mer.

	269-272	269-271	270-271	270-271	270-271	270						
274	6	294	5	289	4	286	3	282	2	278	1	269
	294		294		289		285		282		277	
273	7	293	8	289	9	285	10	281	11	277	12	268
	293		293		288		285		281		277	
273	18	293	17	288	16	284	15	281	14	276	13	268
	292		292		288		284		280		276	
273	19	292	20	287	21	284	22	280	23	276	24	268
	291		291		287		283		279		276	
272	30	291	29	287	28	283	27	279	26	275	25	267
	290		290		286		283		279		274	
272	31	290	32	286	33	282	34	278	35	274	36	267
	265-267	265-267	265-266	265-266	265-266	265-266	266					

The figures on the lines refer to the page.

Township N. 4 North, Range N. 4 E. T. Mer. Indiana

South Boundary.

East On Rand. S. boundary of Sec. 31, T4 N. R4 E.
 40.00 Set temp. q. Sec. post
 42.00 a Brook 10 lks. wide Course South
 68.00 a Spring run Course South
 80.00 Set a post temp. Cor.
 This mile over broken Land timber Oak,
 Hickory & Beech.

East On Rand. S. boundary of Sec. 32, T4 N. R4 E.
 40.00 Set temp. q. Sec. post
 60.00 a Brook 10 lks. wide Course S. E.
 79.00 a do 10 " " " N. E.
 80.00 Set temp. q. Sec. post
 Land timber &c. Same as on the last Mile

East On Rand. S. boundary of 33, T4 N. R4 E.
 40.00 Set temp. q. Sec. post
 41.50 a Brook 10 lks. wide Course N.
 80.00 Set temp. q. Sec. post
 Land timber &c. Same as on the last Mile

East On Random S. boundary of Sec. 34, T4 N. R4 E.
 40.00 Set temp. q. Sec. post
 51.50 a Brook 10 lks. wide Course N. E.
 75.00 a Creek 100 " " " N. E.
 80.00 Set the temp. q. Mile post
 Land timber &c. Same as on the last Mile

East On Random S. boundary of Sec. 35, T4 N. R4 E.
 17.50 a Brook 10 lks wide Course North
 40.00 Set temp. q. Sec. post
 56.50 a Brook 15 lks wide course North

T4N R4E. 2. Mer. Indiana

80.00 Set a post Cor. to Secs 35 & 36, temporarily
Land timber &c Same as on the last mile

East on Random S. boundary of Sec. 36, T4N. R4E.

40.00 Set temp. q. Sec. post

85.76 Intersected the ct. & S. line 5.00 chs. S. of Town-
Corner. Very Hilly Land high hills.

West On true line S. boundary of Sec. 36, T4N. R4E.

40.00 Set the q. Sec. post on true line, from which
a Beech 8 in. dia. bears S 82° W 10 chs. dist. &
a W. Oak 15 " " " N 12° E 5 " "

81.00 Set a post Cor. to Secs. 35 & 36, T4N. R4E, from which
a B. Oak 10 in. dia. bears N 15° W 14 chs. dist. &
a Do 8 " " " S 16° W 23 " "

West On true line S. boundary of Sec. 35, T4N. R4E.

40.00 Set the q. Sec. post on true line, from which
a Maple 40 in. dia. bears S 48° W 35 chs. dist. &
a Beech 15 " " " S 88° E 39 " "

80.00 Set a post Cor. to Secs. 34 & 35, T4N. R4E. from which
a Beech 10 in. dia. bears S 7° E 20 chs. dist. &
a Sugar 10 " " " N 7° W 10 " "

West On true line S. boundary of S. 34 T4N. R4E.

40.00 Set the q. Sec. post on true line, from which
a Sugar 15 in. dia. bears S 40° W 11 chs. dist. &
a Beech 4 " " " N 15° W 11 " "

80.00 a W. Oak 10 " " Cor. to Secs 33 & 34, T4N. R4E.

West On true line S. boundary of Sec. 33, T4N. R4E.

40.00 Set the q. Sec. post. on true line, from which
a Dogwood 6 in. dia. bears N 20° W 1 chs. dist. &

Lot N R 4 E. 2^d Mer. Indiana

a Beech 8 in. dia. bears S 49° 13' E 13 chs. dist. &
 80.00 Set a post Cor. to Sec. 32 & 33, T 4 N. R 4 E. from which
 a Beech 5 in. dia. bears S 21° E 6 chs. dist. &
 an Ironwood 6 " " " S 76° 11' " "

West On true line S. boundary of Sec. 32, T 4 N. R 4 E.
 40.00 Set the q. Sec. post on true line, from which
 a Beech 10 in. dia. bears S 87° 11' 2 chs. dist. &
 a Poplar 15 " " " S 7° E 5 " "
 80.00 Set a post Cor. to Sec. 31 & 32, T 4 N. R 4 E. from which
 a W. Oak 18 in. dia. bears S 86° 11' 19 chs. dist. &
 a Beech 10 " " " N 26° E 14 " "

West On true line S. boundary of Sec. 31, T 4 N. R 4 E.
 80.00 Set the q. Sec. post on true line, from which
 a B. Oak 10 in. dia. bears N 12° 11' 9 chs. dist. &
 a do 12 " " " N 76° E 12 " "
 85.76 to the Township Corner. Sept. 29th 1816.—

East Boundary

North On E. boundary of Sec. 36, T 4 N. R 4 E.
 40.00 Set the q. Sec. post, from which
 a W. Walnut 5 in. dia. bears S 31° E 20 chs. dist. &
 a Mulberry 12 " " " N 45° 11' 29 " "
 57.65 a W. Ash 10 " "
 80.00 Set a post Cor. to Sec. 25 & 36, from which
 a Beech 10 in. dia. bears N 48° E 3 chs. dist. &
 a do 5 " " " S 70° 11' 8 " "
 Very hilly broken Soil, timb. Oak & Hickory

North On E. boundary of Sec. 25, T 4 N. R 4 E.
 40.00 Set the q. Sec. post, from which
 a Beech 20 in. dia. bears S 27° 11' 13 chs. dist. &

T4N R4E. 2nd Mer. Indiana

an Elm 24 in. diam. bray N49 E 24 lks. dist.
 45.50 a Creek 200 lks. wide Course N 80 W
 64.00 Same 200 lks. " " N. E.
 73.00 a Beech 20 in. diam.
 80.00 Set a post Cor. to Sec. 24 & 25, from which
 a W. Oak 15 in. diam. bray N 39 E 8 lks. dist.
 a Beech 15 " " " N 39 W 25 " "
 Good farming land

North On E. boundary of Sec. 24, T4N. R4E.
 12.50 a Creek 200 lks. wide Course W.
 40.00 Set the q. Sec. post, from which
 a Beech 20 in. diam. bray N 13 W 11 lks. dist.
 a W. Ash 6 " " " N 33 W 21 " "
 64.05 a Beech 24 " "
 80.00 Set a post Cor. to Sec. 13 & 24, from which
 a Beech 10 in. diam. bray S 22 E 22 lks. dist.
 a Ho 6 " " " N 34 W 10 " "
 Good farming land timber Beech, Oak & Hickory.

North On E. boundary of Sec. 13, T4N. R4E.
 4.40 a W. Oak 20 in. diam.
 40.00 Set the q. Sec. post, from which
 a Beech 20 in. diam. bray N 56 W 7 lks. dist.
 a Ho 6 " " " S 33 E 4 " "
 80.00 Set a post Cor. to Sec. 12 & 13, from which
 a Beech 20 in. diam. bray N 40 E 24 lks. dist.
 a Ho 10 " " " N 49 W 22 " "
 Level Beech, timbered land

North On E. boundary of Sec. 12, T4N. R4E.
 6.15 a W. Oak 30 in. diam.
 23.00 a Brook 10 lks. wide Course west

T4N R4E 2nd Mer. Indiana

269

- 35.00 at Brook 18 th wide Course S.W.
 40.00 Let the q. Sec. post, from which
 a Beech 10 in. dia. bray N 70 W 17 th dist. of
 an Ash 7 " " " S 22 W 12 1/2 " "
 80.00 Let a post Cor. to Sect 1 of 12, from which
 a Beech 4 in. dia. bray S 55 E 4 th dist. of
 a Ho 13 " " " N 55 W 28 " "
 Sand timber &c. Same as on the last mile

North On E. boundary of Sec. 1, T4N. R4E.

- 21.75 at Brook 10 th wide Course S.W.
 22.40 a W. Oak 20 in. dia.
 31.50 at Brook 10 th wide Course S.E.
 37.00 a Ho 10 " " " S.W.
 40.00 Let the q. Sec. post, from which
 a Beech 10 in. dia. bray N 57 W 15 th dist. of
 a Ho 15 " " " N 1 W 12 1/2 " "
 80.00 Let a post Cor. to Township N. 4 & 5 North
 Range N. 4 & 5 East, from which
 a Beech 20 in. dia. bray S 12 E 23 th dist. of
 a Ho 20 " " " N 61 W 35 " "
 Sand timber &c. Same as on the last mile

North Boundary

- East On Rand^m S. boundary of Sec. 31, T5N. R4E.
 40.00 Let temp^y. q. Sec. post
 80.00 Let temp^y. Sec. post. Over rich level
 Oak & Hickory timbered land

East On Rand^m S. boundary of Sec. 32, T5N. R4E.

- 40.00 Let temp^y. q. Sec. post
 80.00 Let temp^y. Sec. post
 Sand timber &c. Same as on the last mile

T4N R4E 2^d Mer. Indiana

East Outland^m S. boundary of Sec. 33, T5N. R4E.

27.00 a Spring Course S. E.

32.25 a Spring run 5th wide Course S. E.

35.00 a do 5 " " " S. W.

40.00 Let temp^y. of Sec. post

80.00 Let temp^y. Sec. post. Level Oak &

Hickory timbered land

East Outland^m S. bound^y. of Sec. 34, T5N. R4E.

11.00 at Brook 10th wide Course South

40.00 Let temp^y. of Sec. post

43.00 at Brook 20th wide Course South

50.00 at Brook 50th " " S. W.

80.00 Let temp^y. Sec. post

Level timber &c. same as on the last mile

East Outland^m S. bound^y. of Sec. 35, T5N. R4E.

10.50 at Brook 10th wide Course S. W.

40.00 Let temp^y. of Sec. post

80.00 Let temp^y. Sec. post. This mile over
very thin broken Soil, timber Oak hills
very high.

East Outland^m S. bound^y. of Sec. 36, T5N. R4E.

40.00 Let temp^y. of Sec. post

79.19 Intersected the N. & S. line 440th S. of
the town Corner. Level timber
Peech, September 30th 1806.

West Outline S. boundary of Sec. 36, T5N. R4E

40.00 Let the of Sec. post, from which

a W. Oak 20 in. dist. bray S 30 E 6 1/2th dist. of

a W. Oak 15 " " " N 30 W 5 " "

T4N R4E. 2nd Mer. Indiana

271

80.00 Let a post Cor. to Sect. 35 & 36, T5N, R4E, from which
a P Oak 10 mi. diar. bear S 27° 24' W. dist. of
a Beech 6 " " " N 56° 21' " "

West On true line S. boundary of Sec. 35, T5N, R4E.

40.00 Let the q. Sec. post on true line, from which
a W. Oak 12 mi. diar. bear S 79° 37' W. dist. of
a Ldo 15 " " " N 30° E 26 " "

80.00 Let a post Cor. to Sect. 34 & 35, T5N, R4E, from which
a Beech 10 mi. diar. bear S 9° 21' W. dist. of
a P. Oak 40 " " " N 4° E 27 " "

West On true line S. boundary of Sec. 34, T5N, R4E.

40.00 Let the q. Sec. post on true line, from which
a Beech 10 mi. diar. bear N 17° 25' W. dist. of
a Ldo 10 " " " S 40° E 8 " "

80.00 Let a post Cor. to Sect. 33 & 34, T5N, R4E, from which
a Beech 6 mi. diar. bear S 82° 20' W. dist. of
a Ldo 6 " " " S 10° E 19 " "

West On true line S. boundary of Sec. 33, T5N, R4E.

40.00 Let the q. Sec. post on true line, from which
a Hickory 10 mi. diar. bear N 60° 41' 20" W. dist. of
a P. Oak 15 " " " S 10° 41' 10" " "

80.00 Let a post Cor. to Sect. 32 & 33, T5N, R4E, from which
a W. Oak 15 mi. diar. bear N 83° 11' 35" W. dist. of
a P. Oak 20 " " " N 52° E 18 " "

West On true line S. boundary of Sec. 32, T5N, R4E.

40.00 Let the q. Sec. post on true line, from which
a P. Oak 20 mi. diar. bear N 27° 11' 33" W. dist. of
a Hickory 10 " " " N 53° E 33 " "

80.00 Let a post Cor. to Sect. 31 & 32, T5N, R4E, from which

4th N. R. 4 E. T. Mer. Indiana

a Hickory 10 in. diam. bearing S 64 E 12 lks. dist. of
a Do 8 " " " N 26 W 17 " "

West On true line S. boundary of Sec. 31, 4th N. R. 4 E.
40.00 At the q. Sec. post on true line, from which
a Hickory 10 in. diam. bearing N 78 E 11 lks. dist. of
a W. Oak 12 " " " S 78 W 11 " "
79.19 to township Corner.

West Boundary.

North On E. boundary of Sec. 36, 4th N. R. 3 E.
40.00 At the q. Sec. post, from which
a P. Oak 10 in. diam. bearing N 1 E 17 lks. dist. of
a Do 12 " " " S 20 W 29 " "
66.80 a W. Oak 15 " "
80.00 Set a post cor. to Sec. 25 & 36, 4th N. R. 3 E, from which
a Hickory 10 in. diam. bearing S 52 E 9 lks. dist. of
a Dogwood 5 " " " S 32 W 2 " "
This mile over broken Oak timbered land

North On E. boundary of Sec. 25, 4th N. R. 3 E.
3.04 a Beech 15 in. diam.
40.00 At the q. Sec. post from which
a Maple 10 in. diam. bearing S 30 E 13 lks. dist. of
a Hickory 10 " " " N 60 W 11 " "
48.45 a Maple 15 " "
58.50 a run 10 lks. wide course N. E.
67.00 a Brook 15 lks. " " " N. E.
80.00 Set a post Cor. to Sec. 24 & 25, 4th N. R. 3 E, from which
a Sugar 6 in. diam. bearing S 20 E 8 lks. dist. of
a Beech 6 " " " N 3 W 17 " "
Last half mile over level Beech land

273

T4 N. R4 E. T. Mer. Indiana

North On E. boundary of Sec. 24, T4 N. R3 E.

1.50 a Brook 10th wide Course East

11.50 a Ho 10 " " " N.W.

18.50 a Brook 350th wide Course W. (Muscatuck R)

27.55 a Beech 15 in. dia.

40.00 Let the q. Sec. post, from which

a Beech 20 in. dia. bray S49 E 4th dist. of

a Hickory 10 " " " S65 W 13 " "

70.65 a B. Oak 40 " "

80.00 Let a post Cor. to Sec. 13 & 24, T4 N. R3 E. from which

a Beech 10 in. dia. bray S60 E 8th dist. of

a Ho 10 " " " N80 W 12 1/2 " "

This mile over good level Beech timbered land

North On E. boundary of Sec. 13, T4 N. R3 E.

5.50 a Brook 5th wide Course S.W.

28.50 a Beech 15 in. dia.

40.00 Let the q. Sec. post, from which

a Beech 6 in. dia. bray S52 W 16th dist. of

a Gum 20 " " " N14 W 11 " "

70.10 a W. Oak 20 " "

80.00 Let a post Cor. to Sec. 12 & 13, T4 N. R3 E. from which

a Beech 20 in. dia. bray S2 E 29th dist. of

a Ho 24 " " " S57 W 17 " "

Level Beech timbered land, undg^d. Specie

North On E. boundary of Sec. 12, T4 N. R3 E.

40.00 Let the q. Sec. post, from which

a Hickory 20 in. dia. bray N85 E 16 1/2th dist. of

a Dogwood 6 " " " N55 W 3 " "

66.15 a W. Oak 15 " "

80.00 Let a post Cor. to Sec. 1 & 12, T4 N. R3 E. from which

a Dogwood 6 in. dia. bray S60 E 2th dist. of

T4 N R4 E. 2nd Mer. Indiana

a W. Oak 10 in. diam. bears S 57 W 19 lks. dist.
Over bushy level Oak timbered land

North On E. boundary of Sec. 1, T4 N, R3 E.

40.00 Set the q. Sec. post, from which

a Hickory 20 in. diam. bears S 45 W 14 lks. dist. &

a P. Oak 10 " " " N 42 W 7 " "

80.00 Set a post cor. to Town 4 & 5 North, Range 3 & 4 East, from which

a P. Oak 40 in. diam. bears S 50 E 32 lks. dist. &

a Beech 10 " " " S 60 W 29 " "

This mile over level Oak and Hickory timber.

Land very bushy.

Surveyed by Arthur Henric, Dep. Surv.

Subdivision May 9th 1807 var. 6.40. E.

North Between Sec. 35 & 36, T4 N, R4 E.

40.00 Set the q. Sec. post, from which

a Beech 5 in. diam. bears S 25 E 18 lks. dist. &

a Hickory 12 " " " N 52 W 7 " "

80.00 Set a post cor. to Sec. 25, 26, 35 & 36, from which

a P. Gum 14 in. diam. bears S 4 W 3 lks. dist. &

a W. Oak 11 " " " N 10 E 24 " "

Land very hilly 3rd rate soil, timber Oak,

Beech, Poplar &c. very poor farming land

East On Range between Sec. 25 & 36, T4 N, R4 E. var. 6.40. E.

40.00 Set temp. q. Sec. post

69.50 a Brook 6 lks. wide Course N. E.

78.04 Intersected the E. boundary 20 lks. S. of the post

The 1st 1/2 mile very hilly - the last 1/2 very level

timber Beech, Poplar, Oak &c. the last half mile

good farming land - the 1st 1/2 in. 3rd rate timber. Oak &c.

275

T4 N. R4 E. 2nd Mer. Indiana

West On true line between Secs. 25 & 36, T4 N. R4 E.
39.02 Set of Sec. post at average dist. from which
a Maple 18 in. dia. brang N27W 24 lks. dist. of
a Beech 24 " " " N23E 38 " "
78.04 to Sec. Corner

North Between Secs. 25 & 26, T4 N. R4 E. var. 8.10'E.
40.00 Set the of Sec. post, from which
a Sugar 27 in. dia. brang N46E 24 lks. dist. of
a Ho 10 " " " N16W 26 " "
68.50 a Creek 300 lks. wide Course West. This Creek
is navigable for boats of any size
80.00 Set a post Cor. to Secs. 23, 24, 25 & 26, from which
a W. Oak 20 in. dia. brang N86E 28 lks. dist. of
a L. Gum 15 " " " S78E 19 " "
The 1st 1/2 mile very hilly - the last very flat
and swampy, poor farming land

May 13th 1877 var. 8.00'E
East On Rand^m between Secs. 24 & 25, T4 N. R4 E.
39.00 a Creek 50 lks. wide Course South, dead water
40.00 Set temp. of Sec. post.
46.92 to the Muscabitucko river 200 lks. wide S. W.
80.37 Intersected the E. boundary 209 lks. S. of post.
This mile river bottom low growth, timber Beech
Oak, Hickory, Ash &c.

West On true line between Secs. 24 & 25, T4 N. R4 E.
40.18 Set of Sec. post at average dist. from which
a W. Oak 17 in. dia. brang S24W 17 lks. dist. of
a Beech 14 " " " N4W 26 " "
80.37 to Sec. Corner

T4 N. R4 E. 2^d. Mer. Indiana

North Between Secs. 23 & 24, T4 N. R4 E. var. 6.40'E
 40.00 Let the gr. Sec. post, from which
 an Elm 27 in. dia. bear S 5 E 42 lks. dist. of
 a Do 18 " " " N 54 W 18 " "
 48.00 a Creek 30 lks. wide Course S. E.
 62.50 a Do 30 " " " S. W.
 65.50 a Do 30 lks. " " S. E.
 68.00 a Do 30 " " " S. W.
 71.00 a Do 30 " " " S. E.
 80.00 Let a post Cor. to Secs. 13, 14, 23 & 24, from which
 a Poplar 32 in. dia. bear S 5 E 26 lks. dist. of
 a Beech 14 " " " N 14 E 53 " "
 The 1st 1/2 mile low & wet the last 1/2 mile good
 farming land Beech, Ash, Poplar, Oak & some
 Birch timber

East On Land between Secs. 13 & 24, T4 N. R4 E. var. 8. E.
 40.00 Let temp. gr. Sec. post
 80.38 Intersected the E. boundary 258 lks. S. of post
 The 1st 1/2 mile good farming land very level -
 the last 1/2 rather wet & swampy - some part
 of it timber same as on last mile

West Outline between Secs. 13 & 24, T4 N. R4 E.
 40.19 Let gr. Sec. post at average dist. from which
 a Beech 20 in. dia. bear S 4 W 10 lks. dist. of
 a Do 18 " " " N 49 W 14 " "
 80.38 to Sec. Corner

North Between Secs. 13 & 14, T4 N. R4 E. var. 6.40'E
 10.00 a Creek 30 lks. wide Course S. W.
 40.00 Let the gr. Sec. post, from which
 a Beech 10 in. dia. bear S 83 E 13 lks. dist. of

T4N R4E 2^d Mer. Indiana

277

a Beech 11 in. diam. beam S58°W 22 lbs. dist.
80.00 Set a post Cor. to Sec. 11, 12, 13 & 14, from which
a Beech 10 in. diam. beam S59°W 24 lbs. dist. of
a Do 8 " " " N50°E 12 " "
This mile very level the principal timber
is Beech, some Poplar, Elm, Ash, Oak &c.
good farming land

East On Rand. betw. Sec. 12 & 13, T4N R4E. var. 10. E
40.00 Set temp. q. Sec. post
49.00 a Creek 30 lbs. wide Course South
81.12 Intersected the N & S. line 3 1/4 lbs. S. of post
The 1 1/4 mile level - the last a little rolling
timber same, good farming land

West On true line between Sec. 12 & 13, T4N R4E.
40.56 Set q. Sec. post at average dist. from which
a Maple 18 in. diam. beam N7°E 15 lbs. dist. of
a Sycamore 8 " " " N13°E 7 " "
81.12 to Sec. Corner.

North Between Sec. 11 & 12, T4N R4E.
40.00 Set the q. Sec. post, from which
a P. Gum 18 in. diam. beam S7°W 24 lbs. dist. of
a Beech 9 " " " N14°W 5 " "
80.00 Set a post Cor. to Sec. 1, 2, 11 & 12, from which
a Beech 9 in. diam. beam S15°W 9 lbs. dist. of
a Do 18 " " " N15°E 30 " "
Land a little rolling, timber same good
farming land

East On Rand. betw. Sec. 1 & 12, T4N R4E. var. 11. E
40.00 Set temp. q. Sec. post

T4 N. R4 E. 2^d Mer. Indiana

- 57.00 a Creek 30 lks. wide Course S.E.
 58.50 a Do 30 lks. " " N.W.
 61.50 a Do 30 " " " S.E.
 81.88 Intersected the E. boundary 146 lks. S. of post
 Sand timber &c. same as last mile, good fam. land

- West On true line between Sec. 1 & 12, T4 N. R4 E.
 40.94 Set of. Sec. post, at average dist. from which
 a Beech 20 in. dia. bears S 42^W 11 lks. dist. of
 a Do 14 " " " N 35 E 51 " "
 81.88 to Sec. Corner.

- North Between Sec. 1 & 2, T4 N. R4 E.
 40.00 Set the of. Sec. post from which
 a P. Oak 30 in. dia. bears N 52^W 10 lks. dist. of
 a W. Oak 10 " " " N 46 E 29 " "
 84.61 Intersected the N. boundary 156 lks. N. of post
 Set a post Cor. to Sec. 1 & 2, from which
 a W. Oak 12 in. dia. bears S 70 E 20 lks. dist. of
 a Ch. Oak 9 " " " N 6^W 32 " "
 Sand hilly & poor

- May 10th 1807. var. 5.10 E
 North Between Sec. 34 & 35, T4 N. R4 E
 11.50 a Creek 50 lks. wide Course N.E.
 18.50 a Do 50 " " " N.W.
 37.50 a Do 50 " " " N.E.
 40.00 Set the of. Sec. post, from which
 a Poplar 18 in. dia. bears S 11^W 9 lks. dist. of
 a Sugar 18 " " " N 26 E 7 " "
 80.00 Set a post Cor. to Sec. 26, 27, 34 & 35, from which
 a W. Ash 7 in. dia. bears N 72^W 7 lks. dist. of
 a Beech 6 " " " S 75 E 18 " "

S. N. R. & E. 2nd Mer. Indiana

279

This Mile Creek bottom level and good farming Land
Beech Sugar Poplar Gum ash &c.

East On Brandon between Secs. 26 & 35, T4 N. R4 E.
0.50 a Creek 60 lks. wide Course N. E.
40.00 Set temp. y. g. Sec. post
80.05 Intersected the N. & S. line 95 S. of post.
the first 1/2 Mile Creek Bottom the rest Hilly & poor.

West On true line between Secs. 26 & 35, T4 N. R4 E.
40.02 Set g. Sec. post. at average dist. from which
a Beech 12 in. dia. bears N 22 W 9 lks. dist. &
a do 9 " " " S 3 W 26 " "
80.05 To Section Corner

North Between Secs. 26 & 27, T4 N. R4 E.
9.00 a Creek 70 lks. wide Course S. W.
20.00 a do 70 " " " N. E.
32.00 a do 70 " " " N. W.
40.00 Set the g. Sec. post. from which
a post in a Creek 70 lks. wide Course E. from which
an Elm 18 in. dia. bears North 65 lks. dist.
80.00 Set a post Cor. To Secs. 22, 23, 26, & 27. from which
a B. Ash 9 in. dia. bears N. E. 13 lks. dist. &
a W. Ash 9 " " " S. W 9 " "
the first 1/2 Mile Creek Bottom and good farming
Land the last 1/2 Mile a dead level & rather swampy

East On Brandon between Secs. 23 & 26 T4 N. R4 E. v. 9. E.
40.00 Set temp. y. g. Sec. post
40.04 a Creek 250 lks. wide Course N. W.
47.13 a Sugar 6 in. dia.
80.52 Intersected the N. & S. line 100 lks. N. of post

T4 N. R4 E. 2^d. Mer. Indiana

this Mile a dead level and rather Swampy. timber
Oak Hickory ash Gum & middling good farming Land

West On true line between Sec. 23 & 26, T4 N. R4 E.
40.26 Set of Sec. post at average dist. from which
a B. Oak 4 in. dia. bears N53 W 14 lks. dist. &
a Hickory 15 " " " S25 E 10 " "
80.52 To Section Corner

North Between Sec. 22 & 23, T4 N. R4 E. var. 7° 00' E
40.00 Set the of Sec. post, from which
a B. Oak 13 in. dia. bears S65 E 13 lks. dist. &
a Do 12 " " " N61 W 41 " "
55.80 a Creek 250 lks. wide Course N. W.
this Creek is navigable for boats
80.00 Set a post Corner to Sec. 14, 15, 22 & 23, from which
a W. ash 13 in. dia. bears S88 W 37. lks. dist. &
a Beech 10 " " " N73 E 45 " "
this Mile river bottom, the first 1/2 Mile low & wet -
the last 1/2 Mile good farming Land timber Beech,
Ash, Hickory Oak &c.

East On Rand^m. between Sec. 14 & 23, T4 N. R4 E.
40.00 Set temp. of Sec. post
80.50 a Creek 30 lks. wide Course South
81.50 Intersected the N & S. line 88 lks. S. of post
Land very low & wet middling good meadow land

West On true line between Sec. 14 & 23, T4 N. R4 E.
40.75 Set of Sec. post at average dist. from which
a W. Ash 8 in. dia. bears N46 E 16 lks. dist. &
a Hickory 22 " " " N84 W 10 " "
81.50 to Sec. Corner.

T4N R4E. 2^d. Mer. IndianaMay 16th. 1807 var. 6.00. E

North Between Sec. 14 & 15, T4N R4E.

18.50 a Brook 6 lks. wide Course S. E.

40.00 Set the q. Sec. post, from which

a Beech 9 in. dia. bray S 28 W 7 lks. dist. of

a Hickory 9 " " " N 15 E 29 " "

80.00 Set a post Cor. to Sec. 10, 11, 14 & 15, from which

a Beech 10 in. dia. bray S 69 E 12 lks. dist. of

a Hickory 10 " " " N 69 W 25 " "

This mile very level, timber Beech, Oak
Hickory, Poplar &c. Good farming land.East On Land betw. Sec. 10 & 14, T4N R4E. var. 8. E.

25.50 a Brook 6 lks. wide Course S. E.

40.00 Set the q. Sec. post temporary

80.87 Intersected the N & S. line 46 lks. S. of post

Land very level, timber same, low & wet
middling farming land

West On true line between Sec. 10 & 14, T4N R4E

40.43 Set q. Sec. post at average dist. from which

a Beech 7 in. dia. bray N 65 E 22 lks. dist. of

a Do 7 " " " S 42 W 15 " "

80.87 to Sec. Corner

North Between Sec. 10 & 11, T4N R4E. var. 6.00. E.

40.00 Set the q. Sec. post, from which

a Chest. Oak 20 in. dia. bray N 76 W 23 lks. dist. of

a Do 12 " " " East 9 " "

80.00 Set a post Cor. to Sec. 2, 3, 10 & 11, from which

a Beech 14 in. dia. bray N 9 E 18 lks. dist. of

a Poplar 27 " " " S 29 W 24 " "

This mile 3. E. at hill, poor farming land

T4 N R4 E. 2nd Mer. Indiana
var. 8700' E.

East On land between Sec. 2 & 11, T4 N. R4 E.

40.00 Let timber of Sec. post

80.90 Intersected the N & S. line 34 lks. S. of post

The first $\frac{3}{4}$ of this mile 3rd rate land, hilly - the last $\frac{1}{4}$ level good farming land

West On true line between Sec. 2 & 11, T4 N. R4 E.

40.45 Let of Sec. post at average dist. from which
a Chestnut 20 in. diam. bear S 68 $^{\circ}$ W 38 lks. dist. of
a Ches. Oak 9 " " " N 58 $^{\circ}$ E 25 " "

80.90 to Sec. Corner.

North Between Sec. 2 & 3, T4 N. R4 E.

1.00 a Small Brook Corner West

9.00 a Do Do " West

40.00 Let the of Sec. post, from which

a W. Oak 20 in. diam. bear S 66 $^{\circ}$ W 14 lks. dist. of

a Do 10 " " " " N 41 $^{\circ}$ E 30 " "

83.56 Intersected the N. boundary 246 lks. West of post

Let a post, Cor. to Sec. 2 & 3, from which

a P. Oak 24 in. diam. bear S 32 $^{\circ}$ W 24 lks. dist. of

a Passafra 7 " " " " N 78 $^{\circ}$ E 39 " "

Land hilly & poor 3rd rate farming land.

North Between Sec. 33 & 34, T4 N. R4 E, var. 7 $^{\circ}$ 20' E

40.00 Let the of Sec. post, from which

a P. Oak 7 in. diam. bear N 64 $^{\circ}$ W 8 lks. dist. of

a Hickory 14 " " " " N 45 $^{\circ}$ E 49 " "

80.00 Let a post (in a creek 20 lks. wide corner N.E.)

Cor. to Sec. 27, 28, 33 & 34, from which

a Beech 20 in. diam. bear N 18 $^{\circ}$ E 25 lks. dist. of

a Do 18 " " " " S 31 $^{\circ}$ E 27 " "

third rate hills.

T4 N. R4 E. 2^d. Mer. Indiana

East Outland^m between Sec. 27 & 34, T4 N. R4 E.

40.00 Set temp^y. q^r. Sec. post

78.95 Intersected the N & S. line 116 lks. S. of post
1¹/₂ mile very hilly & poor - the last 1/2 very
level & swampy, poor farming land

West Outline line between Sec. 27 & 34, T4 N. R4 E.

39.47 Set q^r. Sec. post at average dist. from which
a Beech 20 in. dia. bran N 85 E 15 lks. dist. of
a Do 10 " " " N 64 W 40. " "

78.95 to Sec. Corner.

North 1 Between Sec. 27 & 28, T4 N. R4 E. var. 8. 20. E

40.00 Set the q^r. Sec. post, from which

a Hickory 13 in. dia. bran N 55 E 13 lks. dist. of

a Do 9 " " " N 71 W 17 " "

80.00 Set a post Cor. to Sec. 21, 22, 27 & 28, from which

a W. Oak 30 in. dia. bran S 35 E 24 lks. dist. of

a W. Oak 14 " " " N 35 W 24 " "

Land very level & rather swampy, timber Oak
Ash, Green Elm, Hickory &c. poor farming land

East Outland^m between Sec. 22 & 27, T4 N. R4 E.

40.00 Set temp^y. q^r. Sec. post

78.90 Intersected the N & S. line 40 lks. S. of post

This mile level, timber same rather swampy
good meadow land

West Outline line between Sec. 22 & 27, T4 N. R4 E.

39.45 Set q^r. Sec. post at average dist. from which

a Hickory 15 in. dia. bran S 38 E 6 lks. dist. of

a Do 18 " " " N 82 W 23 " "

78.90 to Sec. Corner

T4N R4E. 2^d. Mer. Indiana

North Between Secs. 21 & 22, T4N R4E, var. 7.10.E.

40.00 Set the gr. Sec. post, from which

a Beech 12 in. dia. bear S 73 E 21 lks. dist. of

a Do 10 " " " N 61 W 14 " "

65.50 to the Muscatituck River 220 lks. wide course N.

67.70 an Elm 10 in. dia.

80.00 Set a post Cor. to Secs. 15, 16, 21 & 22, from which

an Elm 27 in. dia. bear S 49 W 7 lks. dist. of

a W. Beech 6 " " " N 37 E 24 " "

The 1¹/₂ mile the same - the last 1/2 very good timber Beech, Oak, Ash &c. good farming land

East On Land 8th between Secs. 15 & 22, T4N R4E, var. 8th E

17.34 to the River 250 lks. wide Course S W.

20.00 a Brook 6 lks. wide Course North

40.00 Set temp. gr. Sec. post

78.91 Intersected the N & S. line 110 lks. S. of post

This mile River bottom, timber Beech, Ash, Sugar &c. good farming land

West On true line between Secs. 15 & 22, T4N R4E.

39.45 1/2 Set gr. Sec. post at average dist. from which

a Beech 20 in. dia. bear N 39 E 2 lks. dist. of

a Hickory 30 " " " N 19 W 29 " "

78.91 to Sec. Corner

North Between Secs. 15 & 16, T4N R4E.

40.00 Set the gr. Sec. post, from which

a Beech 10 in. dia. bear S 83 E 14 lks. dist. of

a Do 10 " " " N 57 W 14 " "

80.00 Set a post Cor. to Secs. 9, 10, 15 & 16, from which

a W. Oak 30 in. dia. bear S 18 W 6 lks. dist. of

a Do 27 " " " S 80 E 14 " "

T4N R4E. 2nd Mer. Indiana

This mile river bottom, the principal timber is Beech, some Poplar, Ash, Hickory Oak &c. good farming land.

East On Rand. betw. Sec. 10 & 15, T4N R4E. var. 8th E.

40.00 Set temp. q. Sec. post

78.83 Intersected the N & S. line 11/2 m. S. of post
Land timber &c. same as on the last mile

West On true line between Sec. 10 & 15, T4N R4E.

39.41 1/2 Set q. Sec. post at average dist. from which
a Hickory 7 in. dia. bray N 25 W 24 lks. dist. of
a Beech 15 " " " S 11 W 15 " "

78.83 to Section Corner.

North Between Sec. 9 & 10, T4N R4E. var. 6th 30th E

15.50 a Brook 15 lks. wide Course S. W.

40.00 Set the q. Sec. post, from which
a W. Oak 18 in. dia. bray S 49 W 2 lks. dist. of
a Do 15 " " " N 40 E 25 " "

80.00 Set a post Cor. to Sec. 3, 4, 9 & 10, from which
a Ches. Oak 18 in. dia. bray S 12 W 25 lks. dist. of
a P. Oak 24 " " " N 12 E 20 " "

The 1st 1/2 mile same as last mile, & the last 1/2 mile hilly & poor.

East On Rand. betw. Sec. 3 & 10, T4N R4E.

40.00 Set temp. q. Sec. post

79.45 Intersected the N & S. line 2 lks. S. of post
This mile knobby and poor, the last half through a small bottom

West On true line between Sec. 3 & 10, T4N R4E.

39.72 1/2 Set the q. Sec. post at average dist. from which
a Beech 27 in. dia. bray S 17 W 30 lks. dist. of
a Sugar 9 " " " N 23 E 48 " "

T4N R4E. 2nd. Mer. Indiana

79.45 to Sec. Corner

North Between Secs. 3 & 4, T4N R4E var. 6.20'E

21.50 a small Brook Course West

40.00 Set the gr. Sec. post, from which

a Beech 16 in. dia. beam S 30° W 8 lks. dist. of

a Do 16 " " " N 89° W 25 " "

47.00 at Brook 20 lks. wide Course W.

81.80 Intersected the N. Boundary 308 lks. N. of

post - Set a post Cor. to Secs. 3 & 4, from which

a W. Oak 18 in. dia. beam S 58° E 14 lks. dist. of

a Do 24 " " " N 71° W 25 " "

The 1st 1/2 mile hilly & part rolling - the last
1/2 mile level, timber Oak, Beech, Hickory
Poplar &c. not very good farming land.

May 11th 1807. variation 7.30'E

North Between Secs. 32 & 33, T4N R4E.

40.00 Set the gr. Sec. post, from which

a W. Oak 18 in. dia. beam S 3° E 22 lks. dist. of

a Do 20 " " " N 30° E 22 " "

75.00 a small Brook Course East

80.00 Set a post Cor. to Secs. 28, 29, 32 & 33, from which

a Beech 20 in. dia. beam N 5° E 24 lks. dist. of

a Do 18 " " " N 13° W 41 " "

Land very hilly, timber Oak, Beech, Poplar &c.
Poor farming land

East On Rand. betw. Secs. 28 & 33, T4N R4E. var. 9'E

40.00 Set temp. gr. Sec. post

78.33 Intersected the N. & S. line 108 lks. N. of post

The 1st 1/2 mile hilly & the last 1/2 creek bottomTimber principally Beech, some Sugar, Oak,
ash &c. - the last 1/2 mile middling good farm land

West On true line between Secs. 28 & 33, T4N R4E

T4 N. R4 E. 2^d Mer. Indiana

39.16^r. Set q^r. Sec. post at average dist. from which
 an Ironwood 12 in. dia. bear N 81° W 14 lks. dist. of
 a Dogwood 9 " " " S 41° E 30 " "
 78.33 to Sec. Corner.

North Between Sec. 28 & 29, T4 N. R4 E. var. 8° 30' E

40.00 Set the q^r. Sec. post, from which
 a Beech 12 in. dia. bear N 81° E 27 lks. dist. of
 a Do 14 " " " N 68° W 37 " "

80.00 Set a post Cor. to Sec. 20, 21, 28 & 29, from which
 a Hickory 13 in. dia. bear S 29° E 33 lks. dist. of
 a W. Oak 27 " " " N 25° W 31 " "

The N. 1/2 mile hilly rich Soil & middling farming
 land - the last 1/2 river bottom low & wet, timber
 Oak, Hickory & Swamp Ash &c

East On Rand^m. between Sec. 21 & 28, T4 N. R4 E.

40.00 Set temp^y. q^r. Sec. post

77.70 Intersected the N & S. line 10 lks. S. of post
 this mile swampy covered with water
 timber Ash, Oak, Hickory, Elm &c. poor
 farming land.

West On true line between Sec. 21 & 28, T4 N. R4 E.

38.85 Set q^r. Sec. post at average dist. from which
 a W. Oak 27 in. dia. bear S 80° E 7 lks. dist. of
 a Do 24 " " " S 28° W 19 " "

77.70 to Sec. Corner

North Between Sec. 20 & 21, T4 N. R4 E.

40.00 Set the q^r. Sec. post, from which
 a W. Oak 18 in. dia. bear S 72° W 16 lks. dist. of
 a Beech 10 " " " N 77° E 3 " "

80.00 Set a post Cor. to Sec. 16, 17, 20 & 21, from which
 a W. Oak 36 in. dia. bear N 70° E 14 lks. dist. of
 a Do 30 " " " S 70° W 26 " "

Lt. R. E. D. Mer. Indiana)

1/2
This mile river bottom rich and good farming
land, timber Beech, Ash, Poplar, Elm, Oak &c.

East On Rand. betw. Sec. 16 & 21, T. 4 N., R. 4 E.

40.00 Subtimp. gr. Sec. post

64.79 to the River

67.31 a Lycamore Win. dec.

78. 14 Intersected the N of S. line 30 hr. S. of post.
Sand, timber &c. same as on the last (mile)

Wet On true line between Sec. 16 & 21, T4S. R4E.

39.07 Set of Sec. post at average dist from which
at Rec'd 8 mi away bears 147° W 14 lbs. dist &
a No 3 " . . . supplies the place of a post.

78. 1/4 to Sec. Corner

North Between Sec 16 & 17, T4 N. R4 E. ran. 6.30

40.00 At the gr. Sec. post (in the river) from which
a Sugar Mm. dist. bean South 76 lks. dist.

52.00 a Creek 50 Mts. wide Coma S.E.

53.50 a No 50 lbs. " " J.W.

57.00 a Lb 50/62. J.E.

62.50 a Do 50 lbs. " " S. 97

80.00 Set a post Cor. to Secs. 8, 9, 16 & 17, from which
Sugar Co. mi. dior. bray NW 1/4 Sec. 18
a No 7 " " " " N 15 E 10 " "

This mile river bottom, timber Beech, Sugar
Oak, Ash, and good farming land.

May, 18th 1807. variation 8.00.16

East on Rand^m. between Sec. 9 & 16, 54th N. R. 14th E.

2.00 at Brook 4 lbs. wide Comae South

5.00 a Buck 40 lbs. " " Sep.

8.50 a Do 40 hrs " " PM

15.00 a 20.40 hrs. J. G.

40.00 Lk. temp. gr. Sec. post

T4N R4E 2^d Mer. Indiana.

78.33 Intersected the S. line 55 lbs. N. of post
Land a little rolling, timber same good farming land

West On true line between Sec. 9 & 16, T4N R4E.
39.16 1/2 Set g. Sec. post at average dist. from which
a W. Oak 18 in. dia. bear S 79 E 9 lbs. dist. of
a Beech 5 " " " N 79 W 5 " "

78.33 to Sec. Corner

North Between Sec. 8 & 9, T4N R4E. var. 6° 40' E
40.00 Set the g. Sec. post from which
a Beech 15 in. dia. bear S 84 E 1 1/2 lbs. dist. of
a Do 14 " " " N 64 W 11 " "

80.00 Set a post Cor. to Sec. 4, 5, 8 & 9, from which
a W. Oak 24 in. dia. bear S 15 E 1 1/2 lbs. dist. of
a S. Gum 12 " " " N 14 E 7 " "
Land timber &c. same as on the last mile

East On land betw. Sec. 4 & 9, T4N R4E

40.00 Set temp. g. Sec. post

42.50 a small brook course South

49.00 a Brook 20 lbs. wide course S.E.

78.82 Intersected the S. of S. line 132 lbs. N. of post
The 1st 1/2 mile level - the last half hilly in
the 1st 1/2 mile timber same the last Chestnut
Oak &c. 3^d rate Soil

West On true line between Sec. 4 & 9, T4N R4E
39.41 Set g. Sec. post at average dist. from which
a W. Oak 7 in. dia. bear N 20 E 38 lbs. dist. of
a Do 24 " " " S 29 W 27 " "

78.82 to Sec. Corner

North Between Sec. 4 & 5, T4N R4E, var. 7° 20' E

40.00 Set the g. Sec. post, from which

a W. Oak 18 in. dia. bear N 54 W 8 lbs. dist. of

T4N R4E 2nd Mer. Indiana

a W. Oak 15 in. dia. bear S 62 E 5 lks. dist.
 78.88 Intersected the N. boundary 2 1/2 lks. N. of
 post, set a post Cor. to Sec. 4 & 5, from which
 a W. Oak 15 in. dia. bear N 40 W 19 lks. dist. of
 a B. Oak 24 " " " S 64 E 4 1/2
 This mile a little rolling the principal timber
 is Oak, good wheat land.

North / Between Sec. 31 & 32, T4N R4E.

May 12th 1807. variation 7.40' E.
 40.00 Set the q. Sec. post from which
 a Beech 10 in. dia. bear N 40 W 7 lks. dist. of
 a Do 11 " " " South 35 " "
 80.00 Set a post Cor. to Sec. 29, 30, 31 & 32, from which
 a Beech 11 in. dia. bear N 88 E 4 lks. dist. of
 a Sugar 11 " " " S 32 W 24 " "
 This mile level it keeps the dividing ridge
 rich Soil, timber Beech, Sugar, Poplar
 ash, Walnut &c good farming land

East - On Ran 8th between Sec. 29 & 32, T4N R4E. var. 8. E
 40.00 Set temp. q. Sec. post
 70.00 a small brook comes S. E.
 79.14 Intersected the N of S. line at the post exactly
 Land hilly & poor

West On true line between Sec. 29 & 32, T4N R4E.
 39.57 Set q. Sec. post at average dist. from which
 a Hickory 20 in. dia. bear N 64 E 6 lks. dist. of
 a Sugar 10 " " " N E 38 " "
 79.14 to Sec. Corner.

West / Between Sec. 30 & 31, T4N R4E.

40.00 Set the q. Sec. post, from which
 a Chestnut 10 in. dia. bear N 27 W 34 lks. dist. of
 a B. Oak 27 " " " N 36 E 60 " "

T4N R4E 2nd Mer. Indiana

83.79 Intersected the N. boundary 8 1/2 lks. N. of post.
 Let a post Cor. to Sec. 30 & 31, from which
 a R. Oak 14 in. dia. bears North 18 lks. dist. of
 a Beech 5 " " " South 11 " "
 Land hilly & poor for farming.

North Between Sec. 29 & 30, T4N R4E.

40.00 Let the q. Sec. post, from which
 a Hickory 18 in. dia. bears N 59 W 27 lks. dist. of
 a Chest. Oak 20 " " " S 87 E 37 " "
 80.00 Let a post Cor. to Sec. 19, 20, 29 & 30, from which
 a Beech 24 in. dia. bears S 46 W 14 lks. dist. of
 a Do 15 " " " N 47 E 14 " "
 Land hilly & poor

East On Rand^m between Sec. 20 & 29, T4N R4E.

40.00 Left temp. q. Sec. post
 79.30 Intersected the N & S line 12 lks. N. of post
 The first 1/2 mile hilly & 3rd rate soil - the last
 1/2 mile River bottom low & wet poor land

West On true line between Sec. 20 & 29, T4N R4E.

39.65 Let q. Sec. post at average dist. from which
 a Chest. Oak 18 in. dia. bears N 85 E 6 lks. dist. of
 a Do 24 " " " S 61 W 26 " "
 79.30 to Sec. Corner

West Between Sec. 19 & 30, T4N R4E.

40.00 Let the q. Sec. post, from which
 a Sugar 14 in. dia. bears S 66 W 15 lks. dist. of
 a Beech 24 " " " N 18 W 48 " "
 80.20 Intersected the N. boundary 12 1/2 lks. North
 of post. Let a post Cor. to Sec. 19 & 30, from which
 a Beech 6 in. dia. bears S 2 W 15 lks. dist. of
 a Do 24 " " " N 17 E 65 " "
 The 1 1/2 mile 3rd rate hilly the last River

T4N - R4E. 2^d Mer. Indiana
bottom rich land

North Between Sec. 19 & 20, T4N, R4E. var. 7.30'E
30.58 to the river 300 lks. wide Course West
33.90 a Hickory 12 in. dia.
40.00 Set the q. Sec. post, from which
a Beech 8 in. dia. bears S 32° W 13 lks. dist. of
an Elm 20 " " " N 64° E 18 " "
80.00 Set a post Cor. to Sec. 17, 18, 19 & 20, from which
a Beech 10 in. dia. bears S 70° E 14 lks. dist. of
a Hickory 12 " " " N 60° W 25 " "
This (mile) River bottom, timber Beech, Poplar,
Ash, Elm &c. good farming land

West On Rand. between Sec. 17 & 20, T4N, R4E.
36.70 to the River
39.66 a W. Ash 18 in. dia.
40.00 Set temp. q. Sec. post
79.11 Intersected the N & S. line 15 lks. S. of post
Land & timber same good farming land

East On true line between Sec. 17 & 20, T4N, R4E.
39.55 1/2 Set q. Sec. post at average dist. from which
a W. Ash 24 in. dia. bears N 48° W 13 lks. dist. of
a Hickory 14 " " " N 32° E 17 " "
79.11 to Section Corner

West Between Sec. 18 & 19, T4N, R4E.
May 19th 1807. variation 8.00'E
40.00 Set the q. Sec. post, from which
a Beech 6 in. dia. bears S 36° E 13 lks. dist. of
a Sugar 10 " " " N 62° W 17 " "
78.17 Intersected the W. boundary 149 lks. N. of post
Set a post Cor. to Sec. 18 & 19, from which
a Beech 5 in. dia. bears N 74° E 21 lks. dist. of
a Do 10 " " " N 88° W 16 " "

T4 N. R4 E. 2^d. Mer. Indiana

Land timber &c. same as on the last mile

North Between Sec. 17 & 18, T4 N. R4 E. var. 6.40'E

40.00 Let the q. Sec. post, from which
 a R. Gum 12 in. dia. bear N 39 W 15 lks. dist. of
 a Poplar 40 " " " N 43 E 31 " "

80.00 Let a post cor. to Sec. 7, 8, 17 & 18, from which
 a Beech 18 in. dia. bear S 33 W 21 lks. dist. of
 a Do 9 " " " N 22 E 28 " "

Land & timber same, good farming land level

East Owl Land^m. between Sec. 8 & 17, T4 N. R4 E.

40.00 Let temp. q. Sec. post

79.90 Intersected the N & S. line 4 lks. S. of post
 This (mile) level, timber Beech, Sugar, Poplar
 ash, Oak &c. good farming land

West Owl true line between Sec. 8 & 17, T4 N. R4 E.

39.95 Let q. Sec. post at average dist. from which
 a W. Oak 20 in. dia. bear S 53 W 10 lks. dist. of
 a Hickory 10 " " " N 79 E 22 " "

79.90 to Sec. Corner.

West Between Sec. 7 & 18, T4 N. R4 E.

40.00 Let the q. Sec. post, from which
 a Beech 15 in. dia. bear S 72 E 48 lks. dist. of
 a Do 14 " " " N 37 W 8 " "

77.67 Intersected the W. boundary 202 lks. N. of post
 Let a post cor. to Sec. 7 & 18, from which
 a S. Gum 10 in. dia. bear N 30 W 7 lks. dist. of
 a Maple 22 " " " S 82 E 32 " "

The 1st 1/2 mile level - the last rolling, timber
 same middling good farming land

May 20th 1807.

North Between Sec. 7 & 8, T4 N. R4 E.

T4 N. 124 E. 2^d. Mer. Indiana

40.00 Let the gr. Sec. post, from which
a P. Oak 36 in. dia. bears N 27 E 5 lbs. dist. of
a W. Oak 15 " " " N 68 W 46 " "

80.00 Let a post Cor. to Sec. 5, 6, 7 & 8, from which
a P. Oak 27 in. dia. bears N 34 W 7 lbs. dist. of
a Do 30 " " " N 2 E 25 " "

This mile middling level timber principally
Oak good farming land - Sandy Soil

East On Land 8th between Sec. 5 & 8, T4 N. 124 E.

40.00 Let temp. gr. Sec. post

80.14 Intersected the N of S. line 3 lbs. S. of post
Land timber &c. same as on the last mile

West On true line between Sec. 5 & 8, T4 N. 124 E.

40.07 Let gr. Sec. post at average dist. from which
a P. Gum 24 in. dia. bears N 34 W 11 lbs. dist. of
a Poplar 11 " " " S 8 E 8 " "

80.14 to Sec. Corner.

West Between Sec. 6 & 7, T4 N. 124 E. var. 8.00. E

40.00 Let the gr. Sec. post, from which
a W. Oak 12 in. dia. bears S 8 W 23 lbs. dist. of
a Do 18 " " " N 17 W 37 " "

77.03 Intersected the W. boundary 260 lbs. N. of post
Let a post Cor. to Sec. 6 & 7, from which
a W. Oak 18 in. dia. bears N 32 E 27 lbs. dist. of
a Do 34 " " " N 19 W 45 " "

This mile rolling, or small rise, timber
same, sandy soil, good farming land

North Between Sec. 5 & 6, T4 N. 124 E. var. 6.00. E

40.00 Let the gr. Sec. post, from which
a P. Oak 14 in. dia. bears S 52 E 35 lbs. dist. of
a Do 27 " " " N 46 W 40 " "

75.00 a small brook comes West

T4. N. R4 E. 2.^d Mer. Indiana

78.12 Intersected the N. boundary 250 lks. West of
post Set a post Cor. to Sect. 5 & 6, from which
a Hickory 10 in. dia. bears S 89 E 17 lks. dist. of
a Do 6 " " " " N 89 W 11 " "
Land, timber &c. same as on the last mile
Surveyed by William Harris, D. S.

Comp.

I certify that the foregoing transcript of field notes of
Township N. 4 North, of Range N. 4 East 2.^d Meridian
Indiana, has been Comp. with the original notes
in this Office, and found to be correct.
Surveyor General's Office
Cincinnati, June 19th 1844

W. S. Peair
Sur. Gen.